

FIG. 1




FIG. 2




FIG. 3




FIG. 4

/	/input/24b	The input queues are where nodes
	/26b	look for files to process
	/28b	
	/28d	
/	/output/24b	The output queues are where nodes
	/26b	write their post-processed files
	/28b	
/	/scratch/24b	The scratch queues is used by the
	/25b	node to persist data
	/28b	


80 

FIG. 5

82, MASTER DATA FLOW MAP

Node	Destination	Queue

Node	Destination	Queue

84a, NODE DATA FLOW MAP

Node	Destination	Queue

84i, NODE DATA FLOW MAP

FIG. 5A




FIG. 6




FIG. 6A




FIG. 6B

FIG. 7




FIG. 8





FIG. 9






FIG. 10




FIG. 11




FIG. 12




FIG. 12A

FIG. 13A




FIG. 13B




FIG. 13C




FIG. 13D




FIG. 13E




FIG. 13F

New Node @ 141.251.69.242

Name : A test EI node

Type : EI - Netflow

ID : <to be assigned by server (1)>

Rule File : netflow_default.rules

Node Configuration

General | Netflow | Destinations

Debug Level : 1

Max log file size : 100000

OSARS per File : 500

Idle write time : 60

Cancel Save

Warning: Applet Window

FIG. 13G




FIG. 13H




FIG. 131

Node 3 <A test EI node> @ 141.251.69.242

Name: A test EI node

Type: EI - Netflow

ID: 3

Rule File: netflow_default.rules

Node Configuration

General | Netflow | Destinations

ID	Name	Host	Type	Dest?
4	A test OI node	.	OI: FlatFile	<input checked="" type="checkbox"/>

Cancel Save

Warning: Applet Window

FIG. 13J





FIG. 13K






FIG. 14




FIG. 15

FIG. 16




FIG. 16




FIG. 17